

# SHREEJI CONSTRUCTION COMPANY



## DRAGEN SERIES DOUBLE LAYER LAMINATED SHINGLES (30-50)















**RED** 

**DARK BROWN** 

**LIGHT BROWN** 

**GREY BLACK** 

**ADAMANT** 


#### **Specifications**

Standard Size	1000mm x 391mm x 3mm
Standard Weigh	30kg/Bundle
Coverage	25.62 sq.ft/Bundle

## SINGLE LAYER HEXAGONALS SHINGLES (10 YEARS







**RED** 

**DARK BROWN** 

**GREEN** 

### SINGLE LAYER IRREGULAR SHINGLES









RED

**DARK BROWN** 

**LIGHT BRWON** 

#### **Specifications**

4	Standard Size	1000mm x 318mm x 2.5mm
8	Standard Weight	23kg/Bundle
1	Coverage	32.29 sq.ft/Bundle









#### **Thatch Specifications**

Brand Name	Fox Carpet Thatch 15mtr x 1mtr, 15sq.mtr/roll	
Standard Size		
Standard Weight	32kg/roll	
Material	PE polymer material	
Craft	Tufted, Baked	
Features	es 1. odorless and non-toxic, feel like wax, fireproof	
	2. Does not rot and can be used for up to 10 years	
	3. Whiskers is 15-17cm, which is more fluffy	
	4. Easy to install, fix with glue or nail	
	Villas, garden landscape attractions, resorts, etc.	









SYNTHETIC THATCH ROOFING SYSTEM





















Brand Name	Fox Resin Synthetic Thatch	
Standard Size	500mm x 500mm, 6pcs/sq.mtr	
Standard Weight	lard Weight 0.46 kg/pcs	
Material	PE polymer material	
Craft	Ultrasonic Stamping, thermoplastic	
Features	tures 1. odorless and non-toxic, feel like wax, fireproof	
	2. Does not rot and can be used for up to 10 years	
	3. Whiskers is 15-17cm, which is more fluffy	
	4. Easy to install, fix with glue or nail	
	Villas, garden landscape attractions, resorts, etc.	

















Thickness



### **Fox Stone Coated Shingles Roof Tile**


Tile Size	1340mm*420mm
Exposure Size	1290mm*370mm
Weight	2.5kg-3.2kg
Color	Customized
Thickness	0.35mm-0.55mm



**Fox Stone Coated Shingles Roof Tile** 

0.35mm-0.55mm

# **ACCESSORIES**



## **COLOUR SHADES**























**GRAPHITE** MODEL: FCS-1005






MODEL: FCS-1006











### PRODUCT DETAILS

**SIZE: 2900MM X 420MM X 16MM** COVERAGE: 11.11 SQ.MT / BOX

**QTY: 10 PCS PER BOX / WT: 37.8 KG** 













